



PRODUCT & MATERIAL SPECIFICATIONS

Ú^æ^Á^æÁ@Á||, ã * Á^•&ã ã }•Á^~|Á [[áÁ] ^&ã•Áã áÁ|æ•Á @}Á^|^&ã * Á|Á[~|Á|á^|É~|Á}ãã @ Áç & Á
 , [[áÁ@æ Á^æããã ^Á^Áæ•É @|^æ Á~|Á] ^&ãç Á [[áÁ^æãã ^Á^Áçæ•É Á[~|Á@æ^Á^Á^•ç }•Á^æãã * Á
 & [[|Á|Á] ^&ã•É|^æ^Á}æã[~|Á^•ç { ^|Á|^çã^Á^|^•^}æã^É
 5 @@K CC8 'GI 6 >97 HHC '5J5 =@6 =@HM'

GHC7 ? 'K CC8

+ '85MI B: =B-G<98 '@58!H=9'



6=F7<



A5D@



F98 'C5?



DCD@F
ççç VÖÜççç



A8:
çççWÜÜÜçççççççççç

GD97 =5 @HMK CC8

%&'85MI B: =B-G<98 '@58!H=9'



5 @9F



5G<



7<9FFM



9I FCD95B'6997<



<=?CFM



A5<C; 5BM



D=B9



K5 @BI H



K<+9 'C5?

Ruck Cabinet Doors utilizes a high-quality conversion varnish in our prefinished products. Our finish is a high solids, low VOC emissions product with a uniquely strong level of durability and is designed to provide years of service under normal conditions. The majority of our stains are sprayed, then hand-wiped to achieve maximum grain clarity.

All products are then seal sanded with 120 grit sandpaper and a resilient heavy-build, top-coat is applied. As our final step, products are oven baked to ensure that the finish is hardened appropriately and is resistant to moisture and household chemicals.

GLAZING

Glazing is an extremely subjective process in which significant variations can occur that will provide a unique appearance to each product. As is the case with traditional finishes---profiles, grain patterns and wood density will impact color consistency of the final product. Variations are to be expected and are not warranted as a result. It is strongly recommended that a sample door be ordered in advance of a job, as some species color/glaze combinations can significantly alter the appearance of a product.

CUSTOM STAIN OPTIONS

Ruck Cabinet Doors partners with M.L CAMPBELL® Wood Finishing Systems WoodSong II collection. We also offer a custom stain option in which stains can be matched against a sample provided by the customer. A representative sample of the color-match must be provided in order to achieve the matching finish. Once the match is achieved, the customer will be sent a hard sample and will be asked to sign and return the sample, as well as an approval waiver.

There is an upcharge for the initial color match. Once a custom finish has been developed, a mix number will be provided for identification so that the finish can be reordered in the future. A premium upcharge is applied onto our Standard Finish price for each subsequent order to address the handling costs associated with maintaining a custom finish. Please contact customer service for pricing details. Custom finishes are maintained for one (1) year past the date of its most recent use. Please allow 5-10 days for completion of all color-matches.

Gallons of our stain options are available. Call customer service for pricing.

LEAD-TIMES

Finished product lead-times are generally five (5) days in addition to the lead-time normally associated with that product (ex: doors- 5-7 days unfinished + 5 additional days for finishing = 10-12 days total lead-time). Custom finishes will be longer, call customer service for pricing.